

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 1 of 11

## SteelStik Part A

### SECTION 1: Identification

#### Product identifier

**Product name:** SteelStik Part A

**Product code:** 8267CAN, 8267SCAN, 8267H Part A CAN



#### Recommended use of the product and restriction on use

**Relevant identified uses:** Not determined or not applicable.

**Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

#### Manufacturer or supplier details

##### Manufacturer:

##### North America

J-B Weld Company, LLC

400 CMH Road

Sulphur Springs, TX 75482

903-885-7696

info@jbweld.com

#### Emergency telephone number:

##### North America

InfoTrac

352-323-3500

### SECTION 2: Hazard identification

#### GHS classification:

Skin sensitization, category 1

Eye irritation, category 2A

Skin irritation, category 2

#### Label elements

##### Hazard pictograms:



**Signal word:** Warning

#### Hazard statements:

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

#### Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash skin and eyes thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 2 of 11

## SteelStik Part A

P321 Specific treatment (see supplemental first aid instructions on this label).

P302+P352 IF ON SKIN: Wash with plenty of water/soap.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists get medical advice/attention

P501 Dispose of contents/container in accordance with local regulations.

**Hazards not otherwise classified:** None

## SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 14807-96-6	Talc Powder	15-40
CAS number: 13463-67-7	Titanium Dioxide	0.1-1
CAS number: 65997-17-3	Glass, oxide, chemicals	10-30
CAS number: 3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	0.5-1.5
CAS number: 25068-38-6	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	10-30

### Additional Information:

Fiberglass powder (CAS # 65997-17-3) is classified as a carcinogen in its inhalable form. Since the fiberglass powder in this product is not inhalable, the product itself is not classified as a carcinogen in the form presented.

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with the Canadian Hazardous Products Regulation and WHMIS 2015.

## SECTION 4: First-aid measures

### Description of first-aid measures

#### General notes:

Not determined or not available.

#### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

#### After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

Take off all contaminated clothing

Gently blot or brush away excess product

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 3 of 11

## SteelStik Part A

Wash with plenty of lukewarm, gently flowing water  
Get medical advice if skin irritation occurs or you feel unwell

### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes  
If symptoms develop or persist, seek medical attention  
Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open  
Remove contact lenses, if present and easy to do so  
Continue rinsing for 15-20 minutes  
Get medical advice if eye irritation persists

### After ingestion:

Rinse mouth thoroughly  
Seek medical attention if irritation, discomfort, or vomiting persists

### Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Not determined or not available.

#### Delayed symptoms and effects:

Not determined or not available.

### Immediate medical attention and special treatment

#### Specific treatment:

Not determined or not available.

#### Notes for the doctor:

Not determined or not available.

## SECTION 5: Fire-fighting measures

### Extinguishing media

#### Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

#### Unsuitable extinguishing media:

Not determined or not applicable.

### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

### Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

### Special precautions:

Carbon monoxide and carbon dioxide may form upon combustion  
Heating causes a rise in pressure, risk of bursting and combustion

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation  
Ensure air handling systems are operational  
Wear protective eye wear, gloves and clothing

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 4 of 11

## SteelStik Part A

### Environmental precautions:

- Should not be released into the environment
- Prevent from reaching drains, sewer or waterway

### Methods and material for containment and cleaning up:

- Wear protective eye wear, gloves and clothing
- Sweep or scoop up solid material while minimizing dust generation
- Dispose of contents / container in accordance with local regulations

### Reference to other sections:

Not determined or not applicable.

## SECTION 7: Handling and storage

### Precautions for safe handling:

- Use only with adequate ventilation.
- Avoid breathing dust.
- Do not eat, drink, smoke or use personal products when handling chemical substances.

### Conditions for safe storage, including any incompatibilities:

- Keep container tightly sealed.
- Keep container dry.
- Store in a cool, well-ventilated area.

## SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Canada	Titanium Dioxide	13463-67-7	Alberta OEL: TWA 10 mg/m <sup>3</sup> 8-hr
	Titanium Dioxide	13463-67-7	British Columbia OEL: TWA 10 mg/m <sup>3</sup> (Total dust) 8-hr
	Glass, oxide, chemicals	65997-17-3	Alberta OELs - 8-hour TWA Exposure Limit: 5 mg/m <sup>3</sup>
	Titanium Dioxide	13463-67-7	British Columbia OEL: TWA 3.0 mg/m <sup>3</sup> (Respirable fraction) 8-hr
	Titanium Dioxide	13463-67-7	Manitoba OEL: TLV-TWA 10 mg/m <sup>3</sup> 8-hr
	Glass, oxide, chemicals	65997-17-3	British Columbia OELs - 8-hour TWA Exposure Limit: 5 mg/m <sup>3</sup>
	Titanium Dioxide	13463-67-7	Ontario OEL: TWA 10 mg/m <sup>3</sup> 8-hr
	Glass, oxide, chemicals	65997-17-3	Manitoba OELs - 8-hour TWA Exposure Limit: 5 mg/m <sup>3</sup>
	Glass, oxide, chemicals	65997-17-3	Ontario OELs - 8-hour TWA Exposure Limit: 5 mg/m <sup>3</sup>
	Titanium Dioxide	13463-67-7	Quebec OEL: TWA 10 mg/m <sup>3</sup> 8-hr
	Titanium Dioxide	13463-67-7	Saskatchewan OEL: TWA 10 mg/m <sup>3</sup> 8-hr

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 5 of 11

## SteelStik Part A

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Glass, oxide, chemicals	65997-17-3	Saskatchewan OELs - 8 Hour Average Contamination Limit: 5 mg/m <sup>3</sup>
	Titanium Dioxide	13463-67-7	Saskatchewan OEL: TWA 20 mg/m <sup>3</sup> 15-min
	Talc Powder	14807-96-6	Alberta OELs - 8- hour TWA Exposure Limit: 2 mg/m <sup>3</sup>
	Talc Powder	14807-96-6	British Columbia OELs - 8-Hour TWA Exposure Value: 2 mg/m <sup>3</sup> (respirable)
	Talc Powder	14807-96-6	Manitoba OELs - 8-Hour Exposure Limit (TLV-TWA): 2 mg/m <sup>3</sup> (respirable fraction)
	Talc Powder	14807-96-6	Ontario OELs - 8-Hour TWA Exposure Value (TWA): 2 mg/m <sup>3</sup> (respirable fraction)
	Talc Powder	14807-96-6	Quebec OELs - 8-Hour TWA Exposure Value: 3 mg/m <sup>3</sup> (respirable fraction)
	Talc Powder	14807-96-6	Saskatchewan OELs - 8 Hour Average Contamination Limit: 2 mg/m <sup>3</sup> (respirable fraction)

### Biological limit values:

No biological exposure limits noted for the ingredient(s).

### Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

### Personal protection equipment

#### Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

#### Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

#### Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

### General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 6 of 11

## SteelStik Part A

Wash contaminated clothing before reuse.

### SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties

<b>Appearance (physical state, color):</b>	Very thick black paste (solid)
<b>Odor:</b>	Not determined or not available.
<b>Odor threshold:</b>	Not determined or not available.
<b>pH-value:</b>	Not determined or not available.
<b>Melting/Freezing point:</b>	Not determined or not available.
<b>Boiling point/range:</b>	Not determined or not available.
<b>Flash point:</b>	135°C (275°F)
<b>Evaporation rate:</b>	Not determined or not available.
<b>Flammability (solid, gaseous):</b>	Not determined or not available.
<b>Explosion limit upper:</b>	Not determined or not available.
<b>Explosion limit lower:</b>	Not determined or not available.
<b>Vapor pressure:</b>	Not determined or not available.
<b>Vapor density:</b>	Not determined or not available.
<b>Density:</b>	2.15
<b>Relative density:</b>	Not determined or not available.
<b>Solubilities:</b>	Not determined or not available.
<b>Partition coefficient (n-octanol/water):</b>	Not determined or not available.
<b>Auto/Self-ignition temperature:</b>	Not determined or not available.
<b>Decomposition temperature:</b>	Not determined or not available.
<b>Dynamic viscosity:</b>	Not determined or not available.
<b>Kinematic viscosity:</b>	Not determined or not available.
<b>Explosive properties</b>	Not determined or not available.
<b>Oxidizing properties</b>	Not determined or not available.

#### Other information

### SECTION 10: Stability and reactivity

#### Reactivity:

Does not react under normal conditions of use and storage.

#### Chemical stability:

Stable under normal conditions of use and storage.

#### Possibility of hazardous reactions:

None under normal conditions of use and storage.

#### Conditions to avoid:

None known.

#### Incompatible materials:

None known.

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 7 of 11

## SteelStik Part A

### Hazardous decomposition products:

None known.

## SECTION 11: Toxicological information

### Acute toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Skin corrosion/irritation

**Assessment:**

Causes skin irritation

**Product data:**

No data available.

**Substance data:**

Name	Result
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	Causes skin irritation.
P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Causes skin irritation

### Serious eye damage/irritation

**Assessment:**

Causes serious eye irritation

**Product data:**

No data available.

**Substance data:**

Name	Result
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	Causes serious eye irritation.
P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Causes serious eye damage

### Respiratory or skin sensitization

**Assessment:**

May cause an allergic skin reaction

**Product data:**

No data available.

**Substance data:**

Name	Result
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	May cause an allergic skin reaction.
P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Result : May cause sensitisation by skin contact.

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 8 of 11

## SteelStik Part A

### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:**

Name	Species	Result
Glass, oxide, chemicals	Not applicable	May cause cancer via inhalation.
Titanium Dioxide	Not applicable.	Airborne, unbound particles of respirable size are known to cause cancer.

### International Agency for Research on Cancer (IARC):

Name	Classification
Talc Powder	Group 3 - Not classifiable as to its carcinogenicity to humans
Glass, oxide, chemicals	Group 2B
Titanium Dioxide	Group 2B

### National Toxicology Program (NTP):

Name	Classification
Glass, oxide, chemicals	Reasonably anticipated to be human carcinogens

### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Reproductive toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Specific target organ toxicity (single exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Information on likely routes of exposure:



# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 9 of 11

## SteelStik Part A

No data available.

### Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

### Other information:

No data available.

## SECTION 12: Ecological information

### Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

Name	Result
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	EC50 - Scenedesmus capricornutum - 9 mg/L - 48 h

### Chronic (long-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Persistence and degradability

**Product data:** No data available.

**Substance data:** No data available.

### Bioaccumulative potential

**Product data:** No data available.

**Substance data:** No data available.

### Mobility in soil

**Product data:** No data available.

**Substance data:** No data available.

**Other adverse effects:** No data available.

## SECTION 13: Disposal considerations

### Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

## SECTION 14: Transport information

### Canadian Transportation of Dangerous Goods (TDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 10 of 11

## SteelStik Part A

<b>Environmental hazards</b>	In accordance with Section 1.45.1 (SOR/2008-34) of the TDG Regulations, this product is not regulated as a marine pollutant as it is transported solely on land by road vehicle or railway vehicle.
<b>Special precautions for user</b>	None
<b>Additional Information</b>	Non-bulk packages of this product are not regulated as hazardous materials unless transported by inland waterway. This product is not regulated as a hazardous material as it is transported in sizes of $\leq 5$ kg and the packagings meet the general provisions of Section 1.17 (SOR/2008-34) of the TDG Regulations.

### International Maritime Dangerous Goods (IMDG)

<b>UN number</b>	Not regulated
<b>UN proper shipping name</b>	Not regulated
<b>UN transport hazard class(es)</b>	None
<b>Packing group</b>	None
<b>Environmental hazards</b>	This material is shipped in quantities of less than 5 kg and as such does not need to be marked as an Environmentally Hazardous Substance.
<b>Special precautions for user</b>	None
<b>Additional Information</b>	This product is not regulated as a dangerous good as it is transported in sizes of $\leq 5$ kg and the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. Additionally, this product transported solely on land by road vehicle or railway vehicle.

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

<b>UN number</b>	Not regulated
<b>UN proper shipping name</b>	Not regulated
<b>UN transport hazard class(es)</b>	None
<b>Packing group</b>	None
<b>Environmental hazards</b>	This material is shipped in quantities of less than 5 kg and as such does not need to be marked as an Environmentally Hazardous Substance.
<b>Special precautions for user</b>	None
<b>Additional Information</b>	This product is not regulated as a dangerous good as it is transported in sizes of $\leq 5$ L or $\leq 5$ kg and the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8. Additionally, this product transported solely on land by road vehicle or railway vehicle.

## SECTION 15: Regulatory information

### Canada regulations

#### Domestic substances list (DSL):

## Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 11 of 11

### SteelStik Part A

25068-38-6	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	Listed
3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Listed
14807-96-6	Talc Powder	Listed
65997-17-3	Glass, oxide, chemicals	Listed
13463-67-7	Titanium Dioxide	Listed

**Non-domestic substances list (NDSL):** None of the ingredients are listed.

### SECTION 16: Other information

**Abbreviations and Acronyms:** None

**Disclaimer:**

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**Initial preparation date:** 07.16.2019

**End of Safety Data Sheet**

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 1 of 10

## SteelStik Part B

### SECTION 1: Identification

#### Product identifier

**Product name:** SteelStik Part B

**Product code:** 8267CAN, 8267SCAN, 8267H Part B CAN



#### Recommended use of the product and restriction on use

**Relevant identified uses:** Not determined or not applicable.

**Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

#### Manufacturer or supplier details

##### Manufacturer:

##### North America

J-B Weld Company, LLC

400 CMH Road

Sulphur Springs, TX 75482

903-885-7696

info@jbweld.com

#### Emergency telephone number:

##### North America

InfoTrac

352-323-3500

### SECTION 2: Hazard identification

#### GHS classification:

Skin sensitization, category 1

#### Label elements

##### Hazard pictograms:



**Signal word:** Warning

#### Hazard statements:

H317 May cause an allergic skin reaction.

#### Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P321 Specific treatment (see supplemental first aid instructions on this label).

P302+P352 IF ON SKIN: Wash with plenty of water/soap.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P501 Dispose of contents and container in accordance with local regulations.

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 2 of 10

## SteelStik Part B

**Hazards not otherwise classified:** None

### SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 1333-86-4	Bounded Carbon Black	0.1-1
CAS number: 14807-96-6	Talc	15-40
CAS number: 65997-17-3	Glass, oxide, chemicals	10-30
CAS number: 90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	1-5
CAS number: 72244-98-5	Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether	10-30

#### Additional Information:

Fiberglass powder (CAS # 65997-17-3) is classified as a carcinogen in its inhalable form. Since the fiberglass powder in this product is not inhalable, the product itself is not classified as a carcinogen in the form presented.

Carbon black is classified as a carcinogen only in its respirable form. Since the carbon black in this product is not respirable, the product itself is not classified as a carcinogen in the form presented.

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with the Canadian Hazardous Products Regulation and WHMIS 2015.

### SECTION 4: First-aid measures

#### Description of first-aid measures

##### General notes:

Not determined or not available.

##### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

##### After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

##### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

##### After ingestion:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

#### Most important symptoms and effects, both acute and delayed

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 3 of 10

## SteelStik Part B

### Acute symptoms and effects:

Not determined or not available.

### Delayed symptoms and effects:

Not determined or not available.

### Immediate medical attention and special treatment

#### Specific treatment:

Not determined or not available.

#### Notes for the doctor:

Not determined or not available.

## SECTION 5: Fire-fighting measures

### Extinguishing media

#### Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

#### Unsuitable extinguishing media:

Not determined or not applicable.

### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

### Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

### Special precautions:

Carbon monoxide and carbon dioxide may form upon combustion

Heating causes a rise in pressure, risk of bursting and combustion

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

### Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

### Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Sweep or scoop up solid material while minimizing dust generation

Dispose of contents / container in accordance with local regulations

### Reference to other sections:

Not determined or not applicable.

## SECTION 7: Handling and storage

### Precautions for safe handling:

## Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 4 of 10

### SteelStik Part B

Use only with adequate ventilation.

Avoid breathing dust.

Do not eat, drink, smoke or use personal products when handling chemical substances.

#### Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Keep container dry.

Store in a cool, well-ventilated area.

### SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

#### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Canada	Bounded Carbon Black	1333-86-4	Alberta: TWA 3.5 mg/m <sup>3</sup>
	Bounded Carbon Black	1333-86-4	British Columbia: TWA 3.0 mg/m <sup>3</sup>
	Bounded Carbon Black	1333-86-4	Manitoba: TWA 3.0 mg/m <sup>3</sup>
	Bounded Carbon Black	1333-86-4	Ontario: TWA 3.0 mg/m <sup>3</sup> (Source: ACGIH)
	Bounded Carbon Black	1333-86-4	Quebec: TWA 3.5 mg/m <sup>3</sup>
	Bounded Carbon Black	1333-86-4	Saskatchewan: 3.5 mg/m <sup>3</sup> (8 hour); 7.0 mg/m <sup>3</sup> (15 min)
	Glass, oxide, chemicals	65997-17-3	Alberta OELs - 8-hour TWA Exposure Limit: 5 mg/m <sup>3</sup>
	Glass, oxide, chemicals	65997-17-3	British Columbia OELs - 8-hour TWA Exposure Limit: 5 mg/m <sup>3</sup>
	Glass, oxide, chemicals	65997-17-3	Manitoba OELs - 8-hour TWA Exposure Limit: 5 mg/m <sup>3</sup>
	Glass, oxide, chemicals	65997-17-3	Ontario OELs - 8-hour TWA Exposure Limit: 5 mg/m <sup>3</sup>
	Glass, oxide, chemicals	65997-17-3	Saskatchewan OELs - 8 Hour Average Contamination Limit: 5 mg/m <sup>3</sup>
	Talc	14807-96-6	Alberta OELs - 8- hour TWA Exposure Limit: 2 mg/m <sup>3</sup>
	Talc	14807-96-6	British Columbia OELs - 8-Hour TWA Exposure Value: 2 mg/m <sup>3</sup> (respirable)
	Talc	14807-96-6	Manitoba OELs - 8-Hour Exposure Limit (TLV-TWA): 2 mg/m <sup>3</sup> (respirable fraction)
	Talc	14807-96-6	Ontario OELs - 8-Hour TWA Exposure Value (TWA): 2 mg/m <sup>3</sup> (respirable fraction)
Talc	14807-96-6	Quebec OELs - 8-Hour TWA Exposure Value: 3 mg/m <sup>3</sup> (respirable fraction)	
Talc	14807-96-6	Saskatchewan OELs - 8 Hour Average Contamination Limit: 2 mg/m <sup>3</sup> (respirable fraction)	

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 5 of 10

## SteelStik Part B

### Biological limit values:

No biological exposure limits noted for the ingredient(s).

### Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

### Personal protection equipment

#### Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

#### Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

#### Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

### General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

<b>Appearance (physical state, color):</b>	Very thick grey paste (solid)
<b>Odor:</b>	Not determined or not available.
<b>Odor threshold:</b>	Not determined or not available.
<b>pH-value:</b>	Not determined or not available.
<b>Melting/Freezing point:</b>	Not determined or not available.
<b>Boiling point/range:</b>	Not determined or not available.
<b>Flash point:</b>	148.89°C (300°F)
<b>Evaporation rate:</b>	Not determined or not available.
<b>Flammability (solid, gaseous):</b>	Not determined or not available.
<b>Explosion limit upper:</b>	Not determined or not available.
<b>Explosion limit lower:</b>	Not determined or not available.
<b>Vapor pressure:</b>	Not determined or not available.
<b>Vapor density:</b>	Not determined or not available.
<b>Density:</b>	2.1 g/cm <sup>3</sup>



# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 6 of 10

## SteelStik Part B

<b>Relative density:</b>	Not determined or not available.
<b>Solubilities:</b>	Not determined or not available.
<b>Partition coefficient (n-octanol/water):</b>	Not determined or not available.
<b>Auto/Self-ignition temperature:</b>	Not determined or not available.
<b>Decomposition temperature:</b>	Not determined or not available.
<b>Dynamic viscosity:</b>	Not determined or not available.
<b>Kinematic viscosity:</b>	Not determined or not available.
<b>Explosive properties</b>	Not determined or not available.
<b>Oxidizing properties</b>	Not determined or not available.

### Other information

## SECTION 10: Stability and reactivity

### Reactivity:

Does not react under normal conditions of use and storage.

### Chemical stability:

Stable under normal conditions of use and storage.

### Possibility of hazardous reactions:

None under normal conditions of use and storage.

### Conditions to avoid:

None known.

### Incompatible materials:

None known.

### Hazardous decomposition products:

None known.

## SECTION 11: Toxicological information

### Acute toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

Name	Route	Result
2,4,6-tris(dimethylaminomethyl)phenol	oral	LD50 - Rat - 1,200 mg/kg

### Skin corrosion/irritation

**Assessment:** Based on available data, the classification criteria are not met.

#### Product data:

No data available.

#### Substance data:

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 7 of 10

## SteelStik Part B

Name	Result
2,4,6-tris(dimethylaminomethyl)phenol	Causes skin irritation.

### Serious eye damage/irritation

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:**

Name	Result
2,4,6-tris(dimethylaminomethyl)phenol	Causes serious eye irritation.

### Respiratory or skin sensitization

**Assessment:**

May cause an allergic skin reaction

**Product data:**

No data available.

**Substance data:**

Name	Result
Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether	May cause an allergic skin reaction.

### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:**

Name	Species	Result
Glass, oxide, chemicals	Not applicable	May cause cancer via inhalation.
Bounded Carbon Black	Not applicable.	The carcinogenic classification only applies to airborne, unbound particles of respirable size.

### International Agency for Research on Cancer (IARC):

Name	Classification
Glass, oxide, chemicals	Group 2B
Talc	Group 3 - Not classifiable as to its carcinogenicity to humans
Bounded Carbon Black	Group 2B - Possibly carcinogenic to humans

### National Toxicology Program (NTP):

Name	Classification
Glass, oxide, chemicals	Reasonably anticipated to be human carcinogens

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 8 of 10

## SteelStik Part B

### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Reproductive toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Specific target organ toxicity (single exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Information on likely routes of exposure:

No data available.

### Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

### Other information:

No data available.

## SECTION 12: Ecological information

### Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Chronic (long-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:**

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 9 of 10

## SteelStik Part B

Name	Result
Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether	NOEC - Daphnia magna (Water flea) - 3.5 mg/L - 21 d

### Persistence and degradability

**Product data:** No data available.

**Substance data:** No data available.

### Bioaccumulative potential

**Product data:** No data available.

**Substance data:** No data available.

### Mobility in soil

**Product data:** No data available.

**Substance data:** No data available.

**Other adverse effects:** No data available.

## SECTION 13: Disposal considerations

### Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

## SECTION 14: Transport information

### Canadian Transportation of Dangerous Goods (TDG)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### International Maritime Dangerous Goods (IMDG)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

# Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.16.2019

Page 10 of 10

## SteelStik Part B

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Bulk Name	None
Ship type	None
Pollution category	None

## SECTION 15: Regulatory information

### Canada regulations

#### Domestic substances list (DSL):

72244-98-5	Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether	Listed
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	Listed
65997-17-3	Glass, oxide, chemicals	Listed
14807-96-6	Talc	Listed
1333-86-4	Bounded Carbon Black	Listed

**Non-domestic substances list (NDSL):** None of the ingredients are listed.

## SECTION 16: Other information

**Abbreviations and Acronyms:** None

### Disclaimer:

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 07.16.2019

**End of Safety Data Sheet**